


LB25-33 · Fixed Neck Lowboy



Sourcewell
Awarded Contract
Contract # 092922-PTT



Since 1976, Pitts has built trailers for the construction, commercial and forestry markets tough enough for every job and priced to make you profitable.

The workhorses of the heavy haul division, include a Hydraulic Detachable, Hydraulic Tail, Fixed Neck and Tag-Along with every feature you desire.

LB25-33 Standard Features



CAPACITY
25 tons evenly distributed
ESTIMATED TARE WEIGH
13,100 lbs ± 3%
LOAD BASE
16' rigid point load centered in deck
DIMENSIONS
Overall: 8' 6" width x 41' length
Clear deck length: 25' (flat deck design)
Deck height under full load: 33" (ground clearance 13")
Rear bogie height: 33"
GOOSENECK DESIGN
48" nominal loaded 5th wheel height
Exposed Neck with Steel Motor Grader Ramps
84" swing radius
Landing gear - one speed - drop leg
Toolbox in dovetail
DECK DESIGN
Main longitudinal members 17" fabricated with positive camber with 8" side rails
level deck design
6" I-beam crossmembers
1 1/2" nominal apitong decking
BOGIE DESIGN
Wheel wells covered with formed steel smooth plate
4' dovetail - self cleaning - 2" x 2" angle iron
spring assisted - 60" x 24"
AXLES
(2) Heavy-duty axles with 49" spread
22,500 lbs nominal capacity per axle (GAWR determined by suspension type, brakes, tires and other components)
Tapered spindle axles

HUBS
Hub-piloted 8-stud mount
Outboard cast drums
BRAKES
Automatic slack adjusters
Type 30/30 parking brakes on (2) axles
SUSPENSION
3 point heavy duty spring
WHEELS
(8) Steel disc wheels 6.75 x 17.5 with 235/ 75R 17.5 H-ply tires
ELECTRICAL SYSTEM
Fully sealed wiring harness with LED lights
Marker lights and mid-turn signals
(2) Oval stop, tail and turn lights per side on rear
PROTECTIVE COATING
High quality 2-part black acrylic urethane
High quality 2-part primer
White blasted and cleaned prior to painting
LASH RINGS
(5) Pair (10 total), D-rings
FLAG HOLDERS
(2) Pair (4 total)

Note: All specifications are subject to change without prior notification. All dimensions and weights are approximate. Trailers pictured in this brochure may feature optional equipment. Axle placement and legal load ratings are dependent upon federal, state, and local regulations, GAWR and tire ratings. Copyright © 2019 Pitts Enterprises, Inc. (published). All rights reserved.